

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

1 Identification

· Product Identifier

- · Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag
- · Product Number:

QD1224-2, QD1224-6, QD1224-10, QD1224-20, QD1224-120, QD1248-25, QD65-1, QD65-2, QD65-4, QD65-16, QD65-26, QD610-1, QD610-8, QD610-12, QD617-1, QD617-5, QD617-8, QDDUFF5-14, QDDUFF10-7, QDDUFF17-4, QDDUFFFB-34, QDGG5-10, QDGG10-5, QDGGCO, QDGGFB-20, QDGG1248-5, QDGG5-10R4, QDGG10-5R4, QDGGCOR4, QDGGFB-20R4, QDGG1248-5R4, QDERLKIT, WUBM-100, WUBM-10, WUM-200, WUM-10

Relevant identified uses of the substance or mixture and uses advised against:

• Product Description:

Water activated flood control expands & creates a barrier in long tube style or barrier in bag style.

- Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Absorbent Specialty Products 30 Hamlet St. Pawtucket, RI 02861 401-722-1177 Fax: 401-722-1160 info@absorbsp.com www.absorbsp.com

· Emergency telephone number: 888-761-4405

2 Hazard(s) Identification

· Classification of the substance or mixture: Non-Regulated Material

- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

```
HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Physical Hazard = 0
```

· Hazard(s) not otherwise classified (HNOC): None known

B Composition/Information on Ingredients

• Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

· Dangerou	s Components:	
9003-04-7	Sodium Polyacrylate	100%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335; Combustible Dust	
The exact	<i>I information:</i> percentages of the ingredients of this mixture are considered to be proprietary and are wi e with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.	thheld in
4 First-Aic	l Measures	
General in	on of first aid measures iformation: s of poisoning may occur after exposure to dust, fumes or particulates; seek medical att vell.	ention if

- · After inhalation: In case of unconsciousness place patient stably in the side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

• After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor. If easy to do so, remove contact lenses if worn.

- If eve irritation occurs, consult a doctor.
- After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections:
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

• Protective Action Criteria for Chemicals

· PAC-1:	
9003-07-0 Polypropylene	5.2 mg/m³
· PAC-2:	
9003-07-0 Polypropylene	58 mg/m³
· PAC-3:	
9003-07-0 Polypropylene	350 mg/m³
7 Handling and Storage	

· Handling

· Precautions for safe handling: No special precautions are necessary if used correctly.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s):* No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters:
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 4)



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

• Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

 Information on basic physical and c General Information 	chemical properties
 Appearance: Form: Color: Odor: Odor threshold: 	Solid White Odorless Not determined.
· pH-value @ 20 °C (68 °F):	5.5-6.5
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	None
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	Not applicable
 Decomposition temperature: 	Not determined.
· Auto igniting:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density @ 20 °C (68 °F): Relative density: Vapor density: Evaporation rate: 	1.5 g/cm³ (12.5175 lbs/gal) Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with: Water: 	Insoluble.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
 Solvent content: VOC content: 	0.00 %
Solids content: • Other information:	100.0 % No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

10 Stability and Reactivity

- · *Reactivity:* No further relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects: · Acute toxicity: · LD/LC50 values that are relevant for classification: 9003-04-7 Sodium Polyacrylate Oral >2,000 mg/kg (Rat) LD50 Dermal LD50 >2,000 mg/kg (Rat) Inhalative LC50/96 hours mg/l (Leuciscus idus (Golden orfe)) >4,000 mg/l (Zebra fish) (OECD TG 203) · Primary irritant effect: On the skin: Irritant to skin and mucous membranes. · On the eye: Irritating effect. • Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant · Carcinogenic categories: · IARC (International Agency for Research on Cancer): Group 1 - Carcinogenic to humans Group 2A - Probably carcinogenic to humans Group 2B - Possibly carcinogenic to humans Group 3 - Not classifiable as to its carcinogenicity to humans Group 4 - Probably not carcinogenic to humans 9003-07-0 Polypropylene 3 • NTP (National Toxicology Program): None of the ingredients are listed. • OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. **Ecological Information** · Toxicity: · Aquatic toxicity:

9003-04-7 Sodium Polyacrylate

EC50 >100 mg/l (Daphnia)

· Persistence and degradability: No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

3 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

· Uncleaned packaging

· Recommendation: Disposal must be made according to official regulations.

1 Л	Trancr	ort	Infor	matiar
11 1 1				

· UN-Number:	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
 UN proper shipping name: 	
· DOT, ADR/ADN, ADN, IMDG, IATA	Non-Regulated Material
 Transport hazard class(es): 	
· DOT, ADR/ADN, ADN, IMDG, IATA	
· Class:	Non-Regulated Material
· Packing group:	ő
· DOT, ADR/ADN, IMDG, IATA	Non-Regulated Material
Environmental hazards:	Not applicable.
 Special precautions for user: 	Not applicable.
Transport in bulk according to Annex II of	of
MARPOL73/78 and the IBC Code:	Not applicable.
• UN "Model Regulation":	Non-Regulated Material

15 Regulatory Information

• Safety, health and environmental regulations/legislation specific for the substance or mixture: • SARA (Superfund Amendments and Reauthorization):

· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients are listed.
· California Proposition 65:
· Chemicals known to cause cancer:
None of the ingredients are listed.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

hemicals known to cause repro	oductive toxicity for females:
one of the ingredients are listed.	
hemicals known to cause repro	oductive toxicity for males:
one of the ingredients are listed.	
hemicals known to cause deve	lopmental toxicity:
one of the ingredients are listed.	
ew Jersey Right-to-Know List:	
one of the ingredients are listed.	
ew Jersey Special Hazardous S	Substance List:
one of the ingredients are listed.	
ennsylvania Right-to-Know Lis	<i>t:</i>
one of the ingredients are listed.	
ennsylvania Special Hazardous	s Substance List:
one of the ingredients are listed.	
arcinogenic categories:	
PA (Environmental Protection A	Agency):
one of the ingredients are listed.	
LV (Threshold Limit Value estal	blished by ACGIH):
one of the ingredients are listed.	
IOSH-Ca (National Institute for	Occupational Safety and Health):
one of the ingredients are listed.	
HS label elements Non-Regulate	
azard pictograms: Non-Regulate	
<i>ignal word:</i> Non-Regulated Mate azard statements: Non-Regulate	

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of last revision/ revision number: 03/08/2021 / 3

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/08/2021

Reviewed on 03/08/2021

Trade Name: Quick Dam Flood Barrier & Quick Dam Flood Bag

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106