SUPER ABSORBENT SOCK

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION** 

PRODUCT NAME: SUPER ABSORBENT SOCK

PRODUCT CODES: SUB34-10, SUB34-40, SUB35-5, SUB38-20, SUB310-16

MANUFACTURER: ABSORBENT SPECIALTY PRODUCTS, LLC

ADDRESS: 30 Hamlet St., Pawtucket, RI 02861

EMERGENCY PHONE: 401-722-1177

CHEMTREC PHONE:

OTHER CALLS: 401-722-1177 FAX PHONE: 401-722-1160

WHMIS SYMBOLS: NONE

PRODUCT USE: DESIGNED TO ABSORB NONAGGRESSIVE LIQUIDS SUCH AS WATER, SOLVENTS, OIL & COOLANTS AND

CONTAIN SMALL SPILLS.

PREPARED BY: CAROL DANCER



FILE NO.: SDSSUB2018

SDS DATE: 3/8/2021

#### **SECTION 2: HAZARDS IDENTIFICATION**

EMERGENCY OVERVIEW: NOT A DANGEROUS SUBSTANCE ACCORDING TO GHS.

**ROUTES OF ENTRY:** 

POTENTIAL HEALTH EFFECTS

EYES: IF OUTER MATERIAL IS PUNCTURED, MAY CAUSE IRRITATION. SKIN: IF OUTER MATERIAL IS PUNCTURED, MAY CAUSE IRRITATION.

INGESTION: NO HAZARD IN NORMAL USE OF PRODUCT.

INHALATION: IF OUTER MATERIAL IS PUNCTURED, MAY CAUSE RESPIRATORY IRRITATION. PRE-EXISTING RESPIRATORY

DISORDERS MAY BE AGGRAVATED BY NUISANCE DUST.

CHRONIC: CELLULOSE DUST MAY HAS LITTLE OR NO EFFECT ON THE RESPIRATORY SYSTEM WHEN ALLOWABLE

EXPOSURE LIMITS ARE MET.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: MAY AGGRAVATE PRE-EXISTING RESPIRATORY CONDITIONS OR ALLERGIES.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**INGREDIENTS:** 

FILLER: CELLULOSE FIBERS 88-91% CAS: 9004-34-6

SODIUM POLYACRYLATE 8-12% CAS: 9003-04-7

SKIN: POLYESTER 100% CAS: 25038-59-9

**SECTION 4: FIRST AID MEASURES** 

EYES: FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION

PERSISTS.

SKIN: NOT APPLICABLE

INGESTION: NOT CONSIDERED HARMFUL IN SMALL QUANTITIES. IF DISCOMFORT OCCURS, SEEK MEDICAL ATTENTION

INHALATION: MOVE TO SOURCE OF FRESH AIR IF EXCESSIVE AMOUNS OF DUST INHALED. SEEK MEDICAL ATTENTION IF

**IRRITATION PERSISTS.** 

PAGE 1 OF 4

FILE NO.: SDSSUB2018 SUPER ABSORBENT SOCK SDS DATE: 3/8/2021

SECTION 5: FIRE-FIGHTING MEASURES

**EXPOSURE LIMITS 8 HOURS. TWA (ppm):** 

**OSHA PEL ACGIH TLV** 

10mg/m<sup>3</sup> TOTAL: 15mg/m<sup>3</sup>

RESPIRABLE: 5mg/m<sup>3</sup> **NOT ESTABLISHED** 

IN ITS PRESENT FORM, THERE IS LITTLE OR NO DUST TO PRESENT AN OSHA HAZARD

FLAMMABLE LIMITS IN AIR (% BY VOLUME) NOT ESTABLISHED LOWER: NE UPPER: NE MANUFACTURER'S RECOMMENDED 8 HOUR EXPOSE LIMIT FOR SODIUM POLYACRYLATE IS 0.05mg/m3

FLASH POINT: **NOT APPLICABLE** °F: NONE °C: NONE

METHOD USED (oc or cc): **NOT APPLICABLE** 

**AUTOIGNITION TEMPERATURE:** 450°F (232°C) FILLER: NON COMBUSTIBLE

NFPA HAZARD CLASSIFICATION

HFAI TH: FLAMMABILITY: 0 **REACTIVITY:** OTHER:

HMIS HAZARD CLASSIFICATION

HEALTH: FLAMMABILITY: REACTIVITY: PROTECTION:

**UNUSED FORM: STANDARD ABC FIRE EXTINGUISHER EXTINGUISHING MEDIA:** 

USED FORM: THAT WHICH IS COMPATIBLE TO LIQUID(S) ABSORBED

**SPECIAL FIRE FIGHTING PROCEDURES:** A SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN

UNUSUAL FIRE AND EXPLOSION HAZARDS: MAY ENHANCE FLAMMABILITY OF PETROLEUM BASED PRODUCTS IN OPEN

FLAME. REFER TO SDS OF LIQUID(S) ABSORBED.

**HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE & CARBON MONOXIDE.** 

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

PICK UP OR SWEEP/SHOVEL MATERIAL AND PLACE IN CONTAINER APPROPRIATE FOR LIQUID(S) ABSORBED

# **SECTION 7: HANDLING AND STORAGE**

HANDLING AND STORAGE: AVOID PUNCTURING OR TEARING OUTER MATERIAL. AVOID CREATING DUST.

STORAGE TEMPERATURE: **ROOM TEMPERATURE** STORAGE PRESSURE: **NOT APPLICABLE** 

SHELF LIFE: INDEFINITELY- AS LONG AS STORED IN CLEAN, DRY ENVIRONMENT, AWAY FROM

**SUNLIGHT** 

**GENERAL:** IF OUTER MATERIAL IS PUNCTURED, AVOID BREATHING DUST. IF WET, FILLER IS VERY

SLIPPERY. REFER TO SDS FOR LIQUID(S) ABSORBED. THE CONTAINER CAN BE HAZARDOUS WHEN EMPTY. DO NOT RE-USE EMPTY CONTAINTERS FOR FOOD, CLOTHING OR PRODUCTS FOR HUMAN OR ANIMAL CONSUMPTION, OR WHERE SKIN CONTACT CAN

OCCUR.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST AS APPROPRIATE.

PROVIDE LOCAL EXHAUST VENTILATION TO MAINTAIN WORKER EXPOSURE TO LESS **VENTILATION:** 

THAN 0.5mg/m<sup>3</sup> OVER AN 8 HOUR PERIOD.

**RESPIRATORY PROTECTION:** YES - IF OUTER MATERIAL IS PUNCTURED, USE NIOSH/MSHA APPROVED DUST

RESPIRATOR IN UNVENTILATED AREA.

**EYE PROTECTION:** YES - WEAR SAFETY GLASSES WITH SIDE SHIELDS OR GOGGLES

YES -NOT NORMALLY REQUIRED. **SKIN PROTECTION:** 

**WORK HYGIENIC PRACTICES: EYEWASH FACILITY** 

OBEY REASONABLE SAFETY PRECAUTIONS & PRACTICE GOOD HOUSEKEEPING WASH **EXPOSURE GUIDELINES:** 

THOROUGHLY AFTER HANDLING.

PAGE 2 OF 4

SUPER ABSORBENT SOCK

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

APPEARANCE: WHITE FLUFF WITH WHITE GRANULES INSIDE A KNIT SLEEVE OF VARIOUS COLORS

ODOR: NO ODOR PHYSICAL STATE: SOLID

pH: NOT APPLICABLE BOILING POINT: NOT APPLICABLE

MELTING POINT: SLEEVE: 160°F (71°C), FILLER: 390°F (199°C)

FREEZING POINT:

VAPOR PRESSURE (mmHg): <10mmHg

VAPOR DENSITY (AIR = 1): NOT APPLICABLE

SPECIFIC GRAVITY (H2O = 1): FILLER: 0.4-0.7, SLEEVE: 0.6

EVAPORATION RATE: NOT APPLICABLE

SOLUBILITY IN WATER: NEGLIGIBLE, SWELLS IN WATER

#### **SECTION 10: STABILITY AND REACTIVITY**

STABLE UNSTABLE

STABILITY: YES

CONDITIONS TO AVOID (STABILITY): AVOID OPEN FLAME & SPARKS

CONDITIONS OF REACTIVITY: NOT AVAILABLE

INCOMPATIBILITY (MATERIAL TO AVOID): AVOID STRONG BASES SUCH AS SODIUM, POTASSIUM HYDROXIDES

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: NOT ESTABLISHED

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID (POLYMERIZATION): NONE

# **SECTION 11: TOXICOLOGICAL INFORMATION**

TOXICOLOGICAL INFORMATION: NOT AVAILABLE

ACUTE TOXICITY - LD50/LC50: NOT ESTABLISHED FOR MIXTURES
CARCINOGENICITY: IARC: NO OSHA: NO
NATIONAL TOXICOLOGY PROGRAM: NO

CALIFORNIA PROP 65: NO LISTED INGREDIENT

#### **SECTION 12: ECOLOGICAL INFORMATION**

NO DATA AVAILABLE.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: IF MATERIAL IS UNUSED, DISPOSE AS NON-HAZARDOUS WASTE MATERIAL IN

ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS. REFER TO SAFTEY DATA

FILE NO.: SDSSUB2018

SDS DATE: 3/8/2021

SHEETS OF ABSORBED MATERIALS.

#### **SECTION 14: TRANSPORT INFORMATION**

THIS PRODUCT IS NOT TRANSPORT REGULATED.

PAGE 3 OF 4

SUPER ABSORBENT SOCK

**U.S. FEDERAL REGULATIONS:** 

**SECTION 15: REGULATORY INFORMATION** 

TSCA (TOXIC SUBSTANCE CONTROL ACT):

NO COMPONENTS ARE LISTED IN THE WHMIS IDL

FILE NO.: SDSSUB2018

SDS DATE: 3/8/2021

ALL INGREDIENTS ARE LISTED

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

NO REPORTABLE

QUANTITY

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): NO LISTED INGREDIENT

OSHA HAZARD COMMUNICATIONS STANDARD, 29 CFR 1910.1200: CELLULOSE

**313 REPORTABLE INGREDIENTS:** 

**STATE REGULATIONS:** 

INTERNATIONAL REGULATIONS:

#### **SECTION 15 NOTES:**

THIS PRODUCT IS NOT STATE OR FEDERALLY REGULATED AS A HAZARDOUS MATERIAL.

# **SECTION 16: OTHER INFORMATION**

OTHER INFORMATION: NONE – EXTREME

0 - 4

**NFPA HAZARD RATINGS:** 

HEALTH 1
FIRE 0
REACTIVITY 0

PREPARATION INFORMATION:

DISCLAIMER: THE INFORMATION HEREIN IS PESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE AS OF THE

EFFECTIVE DATE GIVEN. HOWEVER, NO WARRANTY, EXPRESSED OR IMPLIED, IS GIVEN. IT IS THE BUYER'S

RESPONSIBILITY TO ENSURE THAT ITS ACTIVITIES COMPLY WITH FEDERAL, STATE OR LOCAL LAWS.